

# Ethernet I/O: BusWorks® Series

## 993EN Ethernet Analog Input Modules

RoHS Compliant




cUL US LISTED



24H HOUR STOCK ITEM

2 YEAR WARRANTY



Standard model includes cage clamp terminal blocks. Optional terminals are available (see Page 26).

**Modbus/TCP**  
conformance tested

16-channel Single-ended Analog Current Input ◆ Modbus TCP/IP Communication

### Description

#### Models

993EN-4016: Industrial-grade units

993EN-4C16: Commercial-grade units

These modules interface high-level analog input signals to an Ethernet control network. A high-performance design ensures reliable measurements and dependable operation.

Industrial-grade models add a configurable integrator/totalizer plus superior accuracy and temperature performance compared to the economical commercial-grade version.

#### Input Ranges

±20mA, 0-20mA, 4-20mA DC  
(selectable on each channel)

#### Ethernet Communication

Modbus TCP/IP, 10/100Base-T(X)

#### Power Requirement

18 to 36V DC, 2.0W

#### Approvals

CE, UL/cUL (industrial-grade units only)  
Zone 2, Class 1, Division 2, ABCD

### Key Features & Benefits

- High-resolution 16-bit A/D
- Fast scanning of all channels in 8ms
- 3-way isolation and surge suppression
- Configurable integration/totalization function with non-volatile registers
- Dual-format 16/32-bit data registers
- Scaling registers on all channels
- Configurable sample averaging
- Automatic calibration and self-test
- User-adjustable TCP Ports 1-99,999 for advanced network configuration
- Web browser configuration with copy utility for fast setup

### Performance Specifications

#### Accuracy

993EN-4016: Less than 0.05% of range

993EN-4C16: Less than 0.10% of range

#### Input Impedance

200 ohms

#### Operating Temperature and Humidity Ranges

993EN-4016: -40 to 70°C (-40 to 158°F)

993EN-4C16: 0 to 55°C (32 to 131°F)

Relative humidity: 5 to 95%, non-condensing

#### Isolation

3-way isolation of I/O, power, network circuits.

Peak: 1500V AC, ANSI/ISA-82.01-1988

Continuous: 250V AC, 354V DC

### Ordering Information

#### ◆ I/O Modules

- 993EN-4016** {industrial-grade}  
16-ch current input module with integrator  
**993EN-4C16** {commercial-grade}  
16-ch current input module

\* CE approval only, no integrator function

#### ◆ Accessories

- Industrial Ethernet Switches  
Hardware Accessories and Power Supplies  
Software Support

**Acromag** ®  
THE LEADER IN INDUSTRIAL I/O